

Product data sheet

Specifications



Auxiliary contacts block, TeSys GC & GY, 1NO+1NC, 250V, Right side mounting

GAC0521

Main

Range	TeSys
Device Short Name	GAC0
Product Or Component Type	Auxiliary contact block
Product Compatibility	TeSys GC TeSys GY
Mounting Location	Right side
Pole Contact Composition	1 NO + 1 NC
[Ue] Rated Operational Voltage	250 V
[Ith] Conventional Free Air Thermal Current	5 A (at 50 °C)

Complementary

[Ui] Rated Insulation Voltage	500 V conforming to IEC 60947-5 500 V conforming to VDE 0110
Mechanical Durability	1 Mcycles
Connections - Terminals	Screw clamp terminals2.5 mm²solid Screw clamp terminals2.5 mm²flexible
Tightening Torque	0.8 N.m - on screw clamp terminals
Height	81 mm
Width	8.75 mm
Depth	60 mm
Net Weight	0.016 kg

Environment

Standards	IEC 60947-5
Product Certifications	CEBEC OVE VDE NF-USE
Ip Degree Of Protection	IP20 conforming to VDE 0106
Protective Treatment	TC
Ambient Air Temperature For Operation	-5...50 °C
Ambient Air Temperature For Storage	-40...70 °C
Operating Altitude	<= 3000 m without derating

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.1 cm
Package 1 Width	7.5 cm
Package 1 Length	8.6 cm
Package 1 Weight	44.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	8.2 cm
Package 2 Width	9.6 cm
Package 2 Length	23.0 cm
Package 2 Weight	506.0 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	80
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	4.548 kg

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability






Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
	Halogen Free Product	
Reach Regulation		REACH Declaration
Eu Rohs Directive		Compliant EU RoHS Declaration
China Rohs Regulation		China RoHS declaration
Weee		The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins