

Lisse - Retractive Switch - 1 gang 2 way - 10A Polished Chrome with White Int

GGBL1012RWPCS

Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Switch	
Device Presentation	Complete product	
Colour Tint	Cover plate: polished chrome Interior: white	
Quantity Per Set	Set of 1	

Complementary

Switch Function	2-way retractive	
Control Type	Rocker	
Number Of Gangs	1 gang	
Device Mounting	Wall mounted	
Rated Current	10 A at 230 V AC	
Fixing Mode	Concealed screws	
Connections - Terminals	Screw terminals	
Material	Stainless steel	
Surface Finish	Polished	
Type Of Packing	Bag	
Height	87 mm	
Width	87 mm	
Depth	24 mm	
Net Weight	0.107 kg	

Environment

Standards	BS EN 60669-1
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.300 cm

Package 1 Width	8.700 cm
Package 1 Length	8.700 cm
Package 1 Weight	128.700 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	7
Package 2 Height	9.900 cm
Package 2 Width	10.100 cm
Package 2 Length	20.500 cm
Package 2 Weight	970.000 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	140
Package 3 Height	22.000 cm
Package 3 Width	43.000 cm
Package 3 Length	52.000 cm
Package 3 Weight	20.168 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations