

Lisse - Control Switch - 1 gang Fan Isolator - 10A TP Stainless Steel with Black

GGBL1013BSSS

Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Control switch	
Device Presentation	Complete product	
Colour Tint	Interior: black Cover plate: stainless steel	
Quantity Per Set	Set of 1	

Complementary

Switch Function	3-pole isolator	
Control Type	Rocker	
Number Of Gangs	1 gang	
Device Mounting	Wall mounted	
Rated Current	10 A at 230 V AC	
Fixing Mode	Concealed screws	
Connections - Terminals	Screw terminals	
Material	Stainless steel	
Surface Finish	Brushed finish	
Type Of Packing	Bag	
Height	87 mm	
Width	87 mm	
Depth	25 mm	
Net Weight	0.127 kg	

Environment

Standards	BS EN 60947-3
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.3 cm

Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	144.1 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	7
Package 2 Height	9.9 cm
Package 2 Width	10.1 cm
Package 2 Length	20.5 cm
Package 2 Weight	1.086 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	140
Package 3 Height	22 cm
Package 3 Width	43 cm
Package 3 Length	52 cm
Package 3 Weight	22.487 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations