

Lisse - Plate Switch - 3 gang 2 way -10AX Stainless Steel with Black Interior

GGBL1032BSSS

! Discontinued on: Sep 30, 2022

(!) Discontinued

Main

Range	Lisse
Aesthetic Name	Screwless deco
Product Or Component Type	Plate switch
Device Presentation	Complete product
Colour Tint	Interior: black Cover plate: stainless steel
Quantity Per Set	Set of 1

Complementary

Switch Function	2-way
Control Type	Rocker
Number Of Gangs	3 gangs
Device Mounting	Wall mounted
Rated Current	10 AX at 230 V AC
Fixing Mode	Concealed screws
Connections - Terminals	Screw terminals
Material	Stainless steel
Surface Finish	Brushed finish
Type Of Packing	Bag
Height	87 mm
Width	87 mm
Depth	25 mm
Net Weight	0.136 kg

Environment

Standards	BS EN 60669-1
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Backage 1	4

Package 1 Height	2.3 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	151.3 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	7
Package 2 Height	9.8 cm
Package 2 Width	10.1 cm
Package 2 Length	20.4 cm
Package 2 Weight	1.143 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	140
Package 3 Height	21 cm
Package 3 Width	42.5 cm
Package 3 Length	52 cm
Package 3 Weight	23.507 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations