

Lisse - Control Switch - 1 gang LED Ind - 20AX DP Stainless Steel with Black int

GGBL2011BSS

Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Switch with indicator lamp	
Device Presentation	Complete product	
Colour Tint	Interior: black Cover plate: stainless steel	
Quantity Per Set	Set of 10	

Complementary

Switch Function	2-pole	
Control Type	Rocker	
Number Of Gangs	1 gang	
Pilot Light	Red LED	
Device Mounting	Wall mounted	
Rated Current	20 AX	
Fixing Mode	Concealed screws	
Connections - Terminals	Screw terminals	
Material	Stainless steel	
Surface Finish	Brushed finish	
Type Of Packing	Вох	
Height	87 mm	
Width	87 mm	
Depth	25 mm	
Net Weight	0.127 kg	

Environment

Standards	BS EN 60669-1
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	3.3 cm
Package 1 Width	9.2 cm
Package 1 Length	9.2 cm
Package 1 Weight	160.2 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	100
Package 2 Height	21 cm
Package 2 Width	35.5 cm
Package 2 Length	48 cm
Package 2 Weight	16.558 kg
Unit Type Of Package 3	PAM
Number Of Units In Package 3	2400
Package 3 Height	100.5 cm
Package 3 Width	100 cm
Package 3 Length	120 cm
Package 3 Weight	417.392 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations