

Product data sheet

Specifications



Lisse - Key Switch Module - 2 way - 20AX Satin Brass

GGBL202KSB

 **Discontinued on:** Jun 30, 2023

 **Discontinued**

Main

Range	Lisse
Aesthetic Name	Screwless deco
Product Or Component Type	Switch module
Device Presentation	Flush-mounting module
Colour Tint	Satin brass
Quantity Per Set	Set of 1

Complementary

Switch Function	2-way
Control Type	Key switch
Device Mounting	Wall mounted
Rated Current	20 AX
Fixing Mode	Clipped
Connections - Terminals	Screw terminals
Material	Stainless steel
Surface Finish	Brushed finish
Type Of Packing	Box
Height	59 mm
Width	25 mm
Depth	24 mm
Net Weight	0.028 kg

Environment

Standards	BS EN 60669-1
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	2.4 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	5.9 cm
Package 1 Weight	25.0 g

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance



Mercury Free



RoHS Exemption Information

Yes

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu RoHS Directive

Compliant with Exemptions

China RoHS Regulation

[China RoHS declaration](#)

Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations