Product data sheet

Specifications

Lisse - Switch Module - 2 way - 20AX Stainless Steel

GGBL202M

Main

Range	Lisse
Aesthetic Name	Screwless deco
Product Or Component Type	Switch module
Device Presentation	Flush-mounting module
Colour Tint	Stainless steel
Quantity Per Set	Set of 1

Complementary

Switch Function	2-way
Control Type	Rocker
Device Mounting	Wall mounted
Rated Current	20 AX
Fixing Mode	Clipped
Connections - Terminals	Screw terminals
Material	Stainless steel
Surface Finish	Brushed finish
Type Of Packing	Box
Height	59 mm
Width	25 mm
Depth	24 mm
Net Weight	0.024 kg

Environment

Standards	BS EN 60669-1
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	2.400 cm
Package 1 Length	5.900 cm

Package 1 Weight	20.400 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	6
Package 2 Height	6.500 cm
Package 2 Width	6.500 cm
Package 2 Length	8.500 cm
Package 2 Weight	142.000 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	600
Package 3 Height	15.500 cm
Package 3 Width	44.500 cm
Package 3 Length	68.000 cm
Package 3 Weight	15.050 kg

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations