

Lisse - Switched Socket - 1 gang - 13A Satin Brass with Black Interior

GGBL3010BSBS

Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Switched socket	
Device Presentation	Complete product	
Outlet Standard	British	
Colour Tint	Interior: black Cover plate: satin brass	
Quantity Per Set	Set of 1	
Type Of Packing	Bag	

Complementary

Switch Function	1-pole
Rated Current	13 A at 250 V AC 50/60 Hz
Actuator	Rocker
Number Of Gangs	1 gang
Pilot Light	without LED
Fixing Mode	Concealed screws
Connections - Terminals	Screw terminals
Material	Stainless steel
Type Of Installation	Indoor
Depth	33 mm
Width	87 mm
Height	87 mm
Net Weight	0.123 kg

Environment

Standards	BS 1363-2
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	2.600 cm
Package 1 Width	8.700 cm
Package 1 Length	8.700 cm
Package 1 Weight	136.400 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	6
Package 2 Height	9.800 cm
Package 2 Width	10.000 cm
Package 2 Length	20.500 cm
Package 2 Weight	906.000 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	120
Package 3 Height	22.000 cm
Package 3 Width	43.000 cm
Package 3 Length	52.000 cm
Package 3 Weight	18.744 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations