

Lisse - Switched Socket - 1 gang - 13A DP Mocha Bronze with Black Interior

GGBL3010DBMBS

Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Switched socket	
Device Presentation	Complete product	
Outlet Standard	British	
Colour Tint	Cover plate: mocha bronze Interior: black	
Quantity Per Set	Set of 1	
Type Of Packing	Bag	

Complementary

Switch Function	2-pole
Rated Current	13 A at 250 V AC 50/60 Hz
Actuator	Rocker
Number Of Gangs	1 gang
Pilot Light	without LED
Fixing Mode	Concealed screws
Connections - Terminals	Screw terminals
Material	Stainless steel
Type Of Installation	Indoor
Depth	33 mm
Width	87 mm
Height	87 mm
Net Weight	0.125 kg

Environment

Standards	BS 1363-2
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	3.500 cm
Package 1 Width	8.700 cm
Package 1 Length	8.700 cm
Package 1 Weight	139.300 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	6
Package 2 Height	9.800 cm
Package 2 Width	10.000 cm
Package 2 Length	20.500 cm
Package 2 Weight	919.000 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	120
Package 3 Height	22.000 cm
Package 3 Width	43.000 cm
Package 3 Length	52.000 cm
Package 3 Weight	19.053 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations