

# Lisse - Switched Socket - 1 gang - 13A DP with LED indicator Stainless Steel

GGBL3011DBSS

#### Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Switched socket	
Device Presentation	Complete product	
Outlet Standard	British	
Colour Tint	Interior: black Cover plate: stainless steel	

## Complementary

Switch Function	2-pole
Rated Current	13 A at 250 V AC 50/60 Hz
Number Of Gangs	1 gang
Pilot Light	LED
Fixing Mode	Concealed screws
Connections - Terminals	Screw terminals
Material	Stainless steel
Depth	33 mm
Width	87 mm
Height	87 mm
Net Weight	0.127 kg

## **Environment**

Standards	BS 1363-2	
otanuai us	DS 1303-Z	

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.6 cm
Package 1 Width	9.3 cm
Package 1 Length	9.3 cm
Package 1 Weight	160 g
Unit Type Of Package 2	CAR

Number Of Units In Package 2	100
Package 2 Height	21 cm
Package 2 Width	49 cm
Package 2 Length	49 cm
Package 2 Weight	16.854 kg
Unit Type Of Package 3	PAM
Number Of Units In Package 3	1600
Package 3 Height	100.5 cm
Package 3 Width	100 cm
Package 3 Length	120 cm
Package 3 Weight	289.652 kg

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product���s sustainability >





Transparency RoHS/REACh

# Well-being performance



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
<b>Environmental Disclosure</b>	Product Environmental Profile
Circularity Profile	No need of specific recycling operations