

Lisse - Switched Socket - 2 gang -13A Stainless Steel with Black Interior

GGBL3020BSS

Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Switched socket	
Device Presentation	Complete product	
Outlet Standard	British	
Colour Tint	Interior: black Cover plate: stainless steel	
Quantity Per Set	Set of 5	
Type Of Packing	Box	

Complementary

Switch Function	1-pole	
Rated Current	13 A at 250 V AC 50/60 Hz	
Actuator	Rocker	
Number Of Gangs	2 gangs	
Pilot Light	without LED	
Fixing Mode	Concealed screws	
Connections - Terminals	Screw terminals	
Material	Stainless steel	
Type Of Installation	Indoor	
Depth	36 mm	
Width	148 mm	
Height	87 mm	
Net Weight	0.198 kg	

Environment

Standards	BS 1363-2
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	4.600 cm
Package 1 Width	9.300 cm
Package 1 Length	15.500 cm
Package 1 Weight	245.500 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	50
Package 2 Height	18.000 cm
Package 2 Width	49.000 cm
Package 2 Length	49.000 cm
Package 2 Weight	13.056 kg
Unit Type Of Package 3	PAM
Number Of Units In Package 3	1000
Package 3 Height	106.500 cm
Package 3 Width	120.000 cm
Package 3 Length	100.000 cm
Package 3 Weight	279.868 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations