

Lisse - Switched Socket - 2 gang - 13A DP Stainless Steel with White Interior

GGBL3020DWSS

Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Switched socket	
Device Presentation	Complete product	
Outlet Standard	British	
Colour Tint	Cover plate: stainless steel Interior: white	
Quantity Per Set	Set of 5	
Type Of Packing	Вох	

Complementary

Switch Function	2-pole	
Rated Current	13 A at 250 V AC 50/60 Hz	
Actuator	Rocker	
Number Of Gangs	2 gangs	
Pilot Light	without LED	
Fixing Mode	Concealed screws	
Connections - Terminals	Screw terminals	
Material	Stainless steel	
Type Of Installation	Indoor	
Depth	36 mm	
Width	148 mm	
Height	87 mm	
Net Weight	0.203 kg	

Environment

Standards	BS 1363-2
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	4.5 cm
Package 1 Width	9.2 cm
Package 1 Length	15.5 cm
Package 1 Weight	252.5 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	50
Package 2 Height	18 cm
Package 2 Width	48 cm
Package 2 Length	49 cm
Package 2 Weight	13.343 kg
Unit Type Of Package 3	PAM
Number Of Units In Package 3	1000
Package 3 Height	106.5 cm
Package 3 Width	100 cm
Package 3 Length	120 cm
Package 3 Weight	286.86 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations