

# Lisse - Cooker Control Unit with 13A Socket LED 45A DP Stainless Steel with BI

GGBL4001BSSS

#### Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Cooker control unit	
Device Presentation	Complete product	
Outlet Standard	British	
Colour Tint	Interior: black Cover plate: stainless steel	
Quantity Per Set	Set of 1	

### Complementary

Rated Current	45 A at 230 V AC 50 Hz
Number Of Gangs	2 gangs
Pilot Light	LED
Fixing Mode	Concealed screws
Connections - Terminals	Screw terminals
Material	Stainless steel
Type Of Installation	Indoor
Depth	33 mm
Width	148 mm
Height	87 mm
Net Weight	0.286 kg

### **Environment**

Standards	BS 4177
Ip Degree Of Protection	IP20

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.300 cm
Package 1 Width	8.700 cm
Package 1 Length	14.900 cm

Package 1 Weight	300.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	6
Package 2 Height	9.900 cm
Package 2 Width	15.500 cm
Package 2 Length	20.500 cm
Package 2 Weight	1.906 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	60
Package 3 Height	17.500 cm
Package 3 Width	42.500 cm
Package 3 Length	52.000 cm
Package 3 Weight	19.615 kg

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations