Specifications



() Discontinued

Main

Lisse - Unswitched FCU - 13A Polished Chrome with White Interior

GGBL5000WPCS

() Discontinued on: Jun 30, 2023

Range	Lisse
Aesthetic Name	Screwless deco
Product Or Component Type	Fuse connection unit
Device Presentation	Complete product
Colour Tint	Cover plate: polished chrome Interior: white
Quantity Per Set	Set of 1

Complementary

Pilot Light	without LED
Number Of Gangs	1 gang
Material	Stainless steel
Device Mounting	Wall mounted
Fixing Mode	Concealed screws
Rated Current	13 A at 250 V AC
Connections - Terminals	Screw terminals
Type Of Packing	Bag
Width	87 mm
Height	87 mm
Depth	25 mm
Net Weight	0.129 kg

Environment

Standards	BS 1363
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.500 cm
Package 1 Width	8.700 cm

Package 1 Length	8.700 cm
Package 1 Weight	146.100 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	7
Package 2 Height	9.900 cm
Package 2 Width	10.100 cm
Package 2 Length	20.500 cm
Package 2 Weight	1.100 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	140
Package 3 Height	22.000 cm
Package 3 Width	43.000 cm
Package 3 Length	52.000 cm
Package 3 Weight	22.770 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eà

Transparency RoHS/REACh

Well-being performance

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations