



Lisse - Unswitched FCU - Flex Outlet - 13A Stainless Steel with White Interior

GGBL5003WSSS

! Discontinued on: Dec 15, 2022



Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Fuse connection unit	
Device Presentation	Complete product	
Colour Tint	Cover plate: stainless steel Interior: white	
Quantity Per Set	Set of 1	

Complementary

Pilot Light	without LED
Number Of Gangs	1 gang
Material	Stainless steel
Device Mounting	Wall mounted
Fixing Mode	Concealed screws
Rated Current	13 A at 250 V AC
Connections - Terminals	Screw terminals
Type Of Packing	Bag
Width	87 mm
Height	87 mm
Depth	25 mm
Net Weight	0.131 kg

Environment

Standards	BS 1363
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	8.7 cm

Package 1 Length	8.7 cm
Package 1 Weight	147.2 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	7
Package 2 Height	9.9 cm
Package 2 Width	10.1 cm
Package 2 Length	20.5 cm
Package 2 Weight	1.104 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	140
Package 3 Height	22 cm
Package 3 Width	43 cm
Package 3 Length	52 cm
Package 3 Weight	22.847 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

well-being performance		
Mercury Free		
Rohs Exemption Information	Yes	
Eu Rohs Directive	Compliant with Exemptions	
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information	