Product data sheet

Specifications

Lisse - Telephone - 1 gang BT Secondary Polished chrome with White Interior

GGBL7062WPCS

Main

Range	Lisse
Aesthetic Name	Screwless deco
Product Or Component Type	Telephone socket
Device Presentation	Complete product
Telephone Socket Type	Secondary
Colour Tint	Cover plate: polished chrome Interior: white

Complementary

Number Of Gangs	1 gang
Fixing Mode	Concealed screws
Material	Stainless steel
Type Of Installation	Indoor
Depth	22 mm
Width	87 mm
Height	87 mm
Net Weight	0.104 kg

Environment

Standards	BS EN 41003
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.300 cm
Package 1 Width	8.760 cm
Package 1 Length	8.700 cm
Package 1 Weight	122.600 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	7
Package 2 Height	9.900 cm

Package 2 Width	10.100 cm
Package 2 Length	20.500 cm
Package 2 Weight	931.000 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	140
Package 3 Height	22.000 cm
Package 3 Width	43.000 cm
Package 3 Length	52.000 cm
Package 3 Weight	19.378 kg

Life Is On | Schneider Electric

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

Transparency   RoHS/REACh

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations