Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Lisse - Rocker cap mkd Washing Machine Polished Chrome

GGBLRWMPC

! Discontinued on: Jun 30, 2023



Main

Aesthetic Name	Screwless deco
Product Or Component Type	Сар
Colour Tint	Polished chrome polished

Complementary

Fixing Mode	Clipped
Material	Stainless steel
Marking	Washing machine
Marking Location	Marking on push-button
Type Of Packing	Вох
Height	25 mm
Width	13 mm
Depth	8 mm
Net Weight	0.0035 kg

Environment

Ip Degree Of Protection IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.7 cm
Package 1 Width	1.5 cm
Package 1 Length	3 cm
Package 1 Weight	4 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	6
Package 2 Height	0.7 cm
Package 2 Width	5 cm
Package 2 Length	6 cm
Package 2 Weight	25 g

Unit Type Of Package 3	CAR
Number Of Units In Package 3	54
Package 3 Height	6.5 cm
Package 3 Width	6.5 cm
Package 3 Length	8.5 cm
Package 3 Weight	245 g

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations