

External rotary handle, TeSys GS, red handle, front mounting, 3 positions Test-I-O, NEMA 4-4X, for GS 30 to 400A UL

GS2AHT440

! To be discontinued on: Dec 31, 2024

#### Main

| Range Of Product          | TeSys                |
|---------------------------|----------------------|
| Range                     | TeSys                |
| Device Short Name         | GS2AHT               |
| Product Or Component Type | Rotary handle        |
| Range Compatibility       | TeSys TeSys GS GS2EU |
|                           | TeSys TeSys GS GS2GU |
|                           | TeSys TeSys GS GS2JU |
|                           | TeSys TeSys GS GS2MU |
|                           | TeSys TeSys GS GS2QU |
| Type Of Operating Handle  | External frontal     |
| Handle Colour             | Red                  |
| Handle Front Plate Colour | Yellow               |

# Complementary

| Handle Positions         | Test-O-I |  |
|--------------------------|----------|--|
| Rotary Handle Padlocking | With     |  |
| Switch Rated Current     | 30 A     |  |
|                          | 60 A     |  |
|                          | 100 A    |  |
|                          | 200 A    |  |
|                          | 400 A    |  |
| Standards                | UL       |  |
|                          | CSA      |  |
| Net Weight               | 0.24 kg  |  |

### **Environment**

Nema Degree Of Protection NEMA 4/4X

## **Packing Units**

| Unit Type Of Package 1       | PCE     |
|------------------------------|---------|
| Number Of Units In Package 1 | 1       |
| Package 1 Height             | 7.0 cm  |
| Package 1 Width              | 9.0 cm  |
| Package 1 Length             | 18.0 cm |
| Package 1 Weight             | 240.0 g |

# **Contractual warranty**

Warranty

18 months

# Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

# Well-being performance

| Reach Free Of Svhc         |  |
|----------------------------|--|
| Toxic Heavy Metal Free     |  |
| Mercury Free               |  |
| Rohs Exemption Information | Yes  |
|                            |  |
| Reach Regulation           | REACh Declaration  |
| Eu Rohs Directive          | Compliant EU RoHS Declaration  |
| China Rohs Regulation      | China RoHS declaration   |
| California Proposition 65  | WARNING: This product can expose you to chemicals including: Styrene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov |