

External rotary handle, TeSys GS, red handle, front mounting, 3 positions Test-I-O, IP65, for GS 32 to 63A IEC

GS2AHT520

! To be discontinued on: Dec 31, 2024

#### Main

Range Of Product	TeSys
Range	TeSys
Device Short Name	GS2AHT
Product Or Component Type	Rotary handle
Range Compatibility	TeSys TeSys GS GS1D TeSys TeSys GS GS2F
	TeSys TeSys GS GS2G FuPact FuPacT GS GSB32 FuPact FuPacT GS GSC50
Type Of Operating Handle	External frontal
Handle Colour	Red
Handle Front Plate Colour	Yellow

## Complementary

Handle Positions	Test-O-I
Rotary Handle Padlocking	Lockable in O position
Switch Rated Current	32 A
	50 A
	63 A
Standards	IEC
Net Weight	0.2 kg

#### **Environment**

Ip Degree Of Protection IP65

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.0 cm
Package 1 Width	8.0 cm
Package 1 Length	13.0 cm
Package 1 Weight	200.0 g

# **Contractual warranty**

Warranty

18 months

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

## Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
California Proposition 65	WARNING: This product can expose you to chemicals including: Styrene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov