

Switch, Ultimate Screwless flat plate, 2-pole, screw terminals, IP20, stainless steel

GU2414WSS

Main

Range Of Product	Ultimate	
Range	Ultimate	
Aesthetic Name	Screwless flat plate	
Product Or Component Type	Switch	
Switch Function	2-pole	
Rated Current	20 AX at 230 V AC	

Complementary

Connections - Terminals	Screw terminals	
Quantity Per Set	Set of 1	
Number Of Gangs	1 gang	
Pilot Light	Red neon indicator	
Height	88 mm	
Width	88 mm	

Environment

Standards	BS EN 60669-1	
Ip Degree Of Protection	IP20	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	9.500 cm
Package 1 Length	9.600 cm
Package 1 Weight	211.600 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	100
Package 2 Height	21.000 cm
Package 2 Width	42.500 cm
Package 2 Length	50.000 cm
Package 2 Weight	21.748 kg

Unit Type Of Package 3	PAM
Number Of Units In Package 3	1600
Package 3 Height	100.500 cm
Package 3 Width	120.000 cm
Package 3 Length	100.000 cm
Package 3 Weight	367.968 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration