

Mureva U56 - junction box click-lid - DIY - 1 pack - polarwhite

IMT34473

Main

Range Of Product	Mureva	
Product Name	Mureva BOX	
Device Short Name	U56	
Product Or Component Type	Junction box	
Device Application	Cable installation	
Colour Tint	White (RAL 9003)	
Quantity Per Set	Set of 2	

Complementary

Device Mounting	Surface	
Fixing Mode	By screw: body housing	
Base Dimension	100 x 45 x 65 mm	
Cable Entry	Grommets	
Cable Entry Number	10 diameter: 14 mm	
Material	ABS (acrylonitrile butadiene-styrene)	
Height	87 mm	
Width	87 mm	
Depth	39 mm	

Environment

Ambient Air Temperature For Operation	-2560 °C
Ip Degree Of Protection	IP55
Standards	EN 60670-1
Product Certifications	NEMKO SEMKO DEMKO FIMKO

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.9 cm
Package 1 Width	8.7 cm

Package 1 Length	8.7 cm
Package 1 Weight	100.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	30
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	3.01 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
②	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations