

Multifix Eco - apparatus box - 6 rigid combi stubs - 1.5 module

IMT36027

- ! Discontinued on: Dec 30, 2021
- ! End-of-service on: Feb 2, 2022

(!) Discontinued

Main

Range Of Product	Multifix
Product Name	Multifix Eco
Product Or Component Type	Apparatus box
Quantity Per Set	Set of 25

Complementary

Device Mounting	Flush
Device Composition	Drilling template Cover Stub with locking tabs of stainless steel
Number Of Combi-Stubs	6 rigid diameter: 16 mm / 20 mm
Number Of Gangs	1.5 gangs
Shape	Oval
Colour Tint	Grey (NCS 3500)
Material	PEHD (polyethylene high density)
Distance Between Supports	60 mm
Diameter	71 mm
Internal Depth	55 mm
Length	156 mm
Width	58 mm
Depth	115 mm
Net Weight	0.118 kg
Cable Cross Section	2.5 mm²

Environment

Standards	IEC 60670-1
Ambient Air Temperature For Operation	-2590 °C
Ip Degree Of Protection	IP40

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	5.7 cm	
Package 1 Width	10.4 cm	
Package 1 Length	15.6 cm	
Package 1 Weight	98 a	

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations