Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Multifix Eco - jointing sleeve - 50mm

IMT36043

Main

Range Of Product	Multifix
Range Compatibility	Multifix Eco
Product Or Component Type	Jointing sleeve
Product Specific Application	For joining of rigid and flexible conduits
Quantity Per Set	Set of 10

Complementary

Colour Tint	Transparent
Material	PEHD (polyethylene high density)
Diameter	50 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.400 cm
Package 1 Width	5.700 cm
Package 1 Length	13.000 cm
Package 1 Weight	56.000 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	50
Package 2 Height	38.400 cm
Package 2 Width	30.400 cm
Package 2 Length	39.400 cm
Package 2 Weight	3.174 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	1200
Package 3 Height	80.000 cm
Package 3 Width	105.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	91176.000 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Reach Free Of Svhc



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations