# Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Multifix Eco - VP-Bend 25mm 90°, Plastic



IMT36062

### Main

Range Of Product	Multifix
Range Compatibility	Multifix Eco
Product Or Component Type	90° pipe bend
Quantity Per Set	Set of 20

# Complementary

Material	PVC (polyvinyl chloride)
Diameter	25 mm
Length	170 mm
Width	170 mm
Depth	28 mm

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.800 cm
Package 1 Width	9.600 cm
Package 1 Length	23.900 cm
Package 1 Weight	49.200 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	100
Package 2 Height	34.600 cm
Package 2 Width	34.600 cm
Package 2 Length	49.400 cm
Package 2 Weight	5.404 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	1000
Package 3 Height	80.000 cm
Package 3 Width	84.000 cm
Package 3 Length	100.000 cm
Package 3 Weight	73.750 kg

# **Contractual warranty**

Warranty

18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance



Reach Free Of Svhc



Rohs Exemption Information

Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations