

Product data sheet

Specifications



OptiLine 50 - service box - pop-up - 1x2 outlet, 2xRJ45 Cat6 UTP

INS40632

⚠ Discontinued on: Jul 21, 2021

⚠ End-of-service on: Feb 2, 2022

⚠ Discontinued

Main

Range	OptiLine 50
Range Of Product	OptiLine 50
Product Or Component Type	Service box
Additional Information	6 m power cable 10 m data cable
Type Of Service Box	Pop-up
Device Presentation	Complete product
Colour	Aluminium
Outlet Standard	Schuko

Complementary

Mounting Mode	Flush-mounted
Number Of Socket	2
Number Of Data Socket Outlets	2 x RJ45 Cat. 6 UTP
Product Material	Aluminium anodized Zinc powder coated
Diameter	112 mm
Size	Hole: 100 mm
Height	267 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	16 cm
Package 1 Width	17.8 cm
Package 1 Length	63.6 cm
Package 1 Weight	2.662 kg

Contractual warranty

Warranty	18 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency

Well-being performance

✓ Toxic Heavy Metal Free	
✓ Mercury Free	
✓ Rohs Exemption Information	Yes
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations