

# OptiLine 45 - bend 90° - 95 x 55 mm - PC/ABS - polar white

ISM10203P

### Main

Range Of Product	OptiLine 45
Cabling Installation System	Trunking
Product Type	Bend 90°
Colour	Polar white (RAL 9003)
Quantity Package 1 / Unit	Set of 1

# Complementary

Trunking Material	Plastic
Trunking Dimension	95 x 55 mm
Fixing Mode	Screw Snap-fitted
Product Material	PC/ABS
Length	122 mm
Height	122 mm
Width	57 mm

### **Environment**

Standards	73/23/EEC 93/68/EEC EN 50085-1:2005 EN 50085-1:2013/A1 EN 50085-2-1:2006 EN 50085-2-1:2011/A1
Operating Temperature	-2560 °C
Ip Degree Of Protection	IP40
Ik Degree Of Protection	IK07

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.9 cm
Package 1 Width	14.7 cm
Package 1 Length	14.4 cm
Package 1 Weight	114.0 g
Unit Type Of Package 2	S03

Number Of Units In Package 2	25
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	3.332 kg

# Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>⊘</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>Ø</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations