Specifications



OptiLine - minitrunking - 12 x 20 mm - PC/ABS - white - with bonding tape

ISM14135

() Discontinued on: Jun 30, 2023

(!) Discontinued

Main

Range Of Product	Optiline
Cabling Installation System	Trunking
Product Type	Mini trunking
Trunking Type	Mini trunking

Complementary

complemental y		
Trunking Material	Plastic	
Compartment Partitioning	1 compartment	
Colour	White (RAL 9010)	
Trunking Dimension	12 x 20 mm	
Fixing Mode	Pre-punched fixing hole 100 mm Power cable: screw-fixed Low voltage cable: bonding tape	
Material	PC/ABS	
Quantity Per Package	42 m	
Operating Temperature	-1560 °C	
Length	2100 mm	
Height	20 mm	
Width	12 mm	

Environment

Standards	73/23/EEC EN 50085-1:2005 EN 50085-2-1:2006
Ip Degree Of Protection	IP40
Ik Degree Of Protection	IK07

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.2 cm
Package 1 Width	2 cm
Package 1 Length	210 cm

Package 1 Weight

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eà

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations