



# OptiLine - joint cover piece 18 x 35 mm - PC/ABS aluminium metallic

ISM14455

Discontinued on: Jun 30, 2023

(!) Discontinued

#### Main

Range	OptiLine	
Cabling Installation System	llation System Mini trunking	
Product Type	Joint cover piece	
Trunking Type	Mini trunking	
D_Range_Compatibility	OptiLine	

## Complementary

Trunking Material	Plastic	
Colour Tint	Aluminium metallic	
Trunking Dimension	18 x 35 mm	
Fixing Mode	le Snap-fitted	
Surface Finish	n Painted	
Material	PC/ABS	
Quantity Per Package	Set of 10	
Operating Temperature	-2560 °C	
Length	19 mm	
Height	37 mm	
Width	22 mm	

#### **Environment**

Standards	73/23/EEC EN 50085-1:2005 EN 50085-2-1:2006
Ip Degree Of Protection	IP40
Ik Degree Of Protection	IK06

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	2.2 cm
Package 1 Length	3.6 cm

Package 1 Weight 2.0 g

## **Contractual warranty**

Warranty 18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>⊘</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>Ø</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations