

OptiLine 70 - adaptor for Unica wiring device - 1 module - polar white

ISM15200P

! Discontinued on: Jul 21, 2021

(!) Discontinued

### Main

Range Of Product	OptiLine 70
Cabling Installation System	Trunking Pole
Product Type	Adaptor
Trunking Material	Aluminium Plastic
Type Of Pole	One-sided Two-sided
Trunking Dimension	155 x 55 mm 120 x 55 mm 95 x 55 mm 185 x 55 mm 80 x 55 mm
Suitable For	Unica wiring device
Pole/Post Surface Finish	Anodized
Pole Fixing Mode	Free-standing Tension-mounted

## Complementary

Number Of Modules	1 module
Colour	Polar white (RAL 9003)
Fixing Mode	Snap-fitted
Product Material	PC/ABS
Quantity Package 1 / Unit	Set of 1
Length	71 mm
Height	73 mm
Width	28 mm

### **Environment**

Standards	73/23/EEC 93/68/EEC EN 50085-1:2005 EN 50085-2-1:2002
Operating Temperature	-2560 °C
Ip Degree Of Protection	IP21

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2 cm
Package 1 Width	17 cm
Package 1 Length	18 cm
Package 1 Weight	30 g

## **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance



Reach Free Of Svhc



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations