

Product data sheet

Specifications

OptiLine 50 - flexible conduit for cable feeding



ISM50850

Main

Range Of Product	OptiLine 50
Product Type	Flexible conduit
Colour	Grey
Quantity Package 1 / Unit	2 pieces

Complementary

Product Material	PP (polypropylene)
Product Compatibility	Cable feeding
Height	25 mm
Width	25 mm
Depth	2000 mm
Diameter	25 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.100 cm
Package 1 Width	2.500 cm
Package 1 Length	10.000 cm
Package 1 Weight	178.000 g
Unit Type Of Package 2	BAG
Number Of Units In Package 2	2
Package 2 Height	9.900 cm
Package 2 Width	45.000 cm
Package 2 Length	32.200 cm
Package 2 Weight	372.000 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	8
Package 3 Height	29.900 cm
Package 3 Width	40.800 cm
Package 3 Length	31.300 cm

Package 3 Weight 1.950 kg

Contractual warranty

Warranty 18 months

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency

Well-being performance

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations
