

Product data sheet

Specifications



Canalis - tap-off unit - 10 A - phase selection - single circuit switch

KBC10DSA20

! Discontinued

Main

Range	Canalis
Product Or Component Type	Tap-off unit
Product Compatibility	KDP KBA KBB
Device Application	Power socket distribution Lighting
Range Compatibility	Canalis KBA busbar trunking Canalis KBB busbar trunking Canalis KDP busbar trunking

Complementary

[Ue] Rated Operational Voltage	230...400 V
[Ui] Rated Insulation Voltage	400 V
[Ie] Rated Operational Current	10 A at 35 °C
Network Frequency	50/60 Hz
Protection Type	Without protection
Busbar Trunking Polarity	L1 + N + PE L2 + L1 + L3 + N + PE L2 + N2 + L3 + N3 + PE
Control Type	Single circuit
Tap-Off Unit Polarity	L1+L3 L3+N L1+N L2+N2 L2+N L2+L3 L1+L2 L3+N3
Tap-Off Unit Connector Type	With phase selection
Standards	EN/IEC 61439-6 EN/IEC 60439-2
Width	127.7 mm
Depth	30 mm
Height	76 mm
Colour	Light grey (RAL 7035)
Net Weight	85 g
Quantity Per Set	Set of 10

Environment

Ip Degree Of Protection

IP55 conforming to EN/IEC 60529

Contractual warranty

Warranty

18 months

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



RoHS/REACH

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

✓ Halogen Free Plastic Parts Product

Certifications & Standards

Eu Rohs Directive Compliant
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
