

Specifications



KBC16ZL10

Range	Canalis
Product Or Component Type	Interlock
Range Compatibility	Canalis KBA connector Canalis KBB connector Canalis KDP connector

Accessory / Separate Part Category	Connection accessory
Device Application	To lock tap-off unit
Standards	IEC 61439-6 IEC 60439-2
Colour	Blue
Net Weight	2 g
Quantity Per Set	Set of 20

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.3 cm
Package 1 Width	0.8 cm
Package 1 Length	5.5 cm
Package 1 Weight	1.1 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	20
Package 2 Height	1.1 cm
Package 2 Width	11 cm
Package 2 Length	15 cm
Package 2 Weight	23 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	1000
Package 3 Height	20 cm
Package 3 Width	20 cm
Package 3 Length	30 cm

Package 3 Weight	1.2 kg
------------------	--------

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

✓ Pvc Free

✓ Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations