

# Interlocking device, Canalis KB, mechanical lock out, red colour identification

KBC16ZL30

### Main

Range	Canalis
Product Or Component Type	Interlock
Range Compatibility	Canalis KBA connector Canalis KBB connector Canalis KDP connector

# Complementary

Accessory / Separate Part Category	Connection accessory	
Device Application	To lock tap-off unit	
Standards	IEC 60439-2 IEC 61439-6	
Colour	Red	
Net Weight	2 g	
Quantity Per Set	Set of 20	

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.5 cm
Package 1 Width	0.8 cm
Package 1 Length	4.5 cm
Package 1 Weight	2 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	20
Package 2 Height	1.1 cm
Package 2 Width	11 cm
Package 2 Length	15 cm
Package 2 Weight	40 g
Unit Type Of Package 3	P06
Number Of Units In Package 3	1000
Package 3 Height	45 cm
Package 3 Width	60 cm
Package 3 Length	80 cm

Package 3 Weight 47 kg

## **Contractual warranty**

Warranty 18 months

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

<b>⊘</b>	Reach Free Of Svhc
<b>②</b>	Mercury Free
<b>②</b>	Rohs Exemption Information Yes
<b>②</b>	Pvc Free
<b>⊘</b>	Halogen Free Plastic Parts Product

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations