

Universal fixing brackets, Canalis KS 500A to 1000A, wall or suspended on threaded rod

KSB1000ZF1

Main

Range Of Product	Canalis
Product Name	KS
Product Or Component Type	Bracket
Product Compatibility	KS
Fixing Device Mounting	Suspended on threaded rod Wall mounting
Maximum Load	135 kg
Quantity Per Set	Set of 10

Complementary

Accessory / Separate Part Category	Fixing accessory
[le] Rated Operational Current	1000.0 A
Width	151 mm
Depth	30 mm
Height	181.5 mm
Net Weight	400 g

Environment

Standards	IEC 60439-2	
	IEC 61439-6	

Packing Units

_	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	16.0 cm
Package 1 Width	19.0 cm
Package 1 Length	31.0 cm
Package 1 Weight	365.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	18.5 cm
Package 2 Width	16.5 cm
Package 2 Length	32.5 cm

Package 2 Weight	3.86 kg
Unit Type Of Package 3	P06
Number Of Units In Package 3	300
Package 3 Height	80.0 cm
Package 3 Width	80.0 cm
Package 3 Length	60.0 cm
Package 3 Weight	128.0 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

②	Reach Free Of Svhc	
Ø	Toxic Heavy Metal Free	
Ø	Mercury Free	
Ø	Rohs Exemption Information	Yes
⊘	Halogen Free Product	

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations