
Product data sheet

Specifications



Bottom support, Canalis KS, 500A to 630A, vertical installation, maximum load 1760kg

KSB630ZV1

Main

Range Of Product	Canalis
Product Name	KS
Product Or Component Type	Support foot
Product Compatibility	KS
Fixing Device Mounting	Tied at riser 1st joint. unit
Maximum Load	1760 kg

Complementary

Accessory / Separate Part Category	Fixing accessory
[Ie] Rated Operational Current	630.0 A
Mounting Position	Vertical
Width	275 mm
Depth	225.5 mm
Height	200 mm
Net Weight	7 kg

Environment

Standards	IEC 61439-6
	IEC 60439-2

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	20.000 cm
Package 1 Width	34.000 cm
Package 1 Length	43.000 cm
Package 1 Weight	8.143 kg
Unit Type Of Package 2	P06
Number Of Units In Package 2	6
Package 2 Height	75.300 cm
Package 2 Width	80.000 cm
Package 2 Length	60.000 cm

Package 2 Weight

55.258 kg

Contractual warranty

Warranty

18 months

Life Is On Scheider

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Eq

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes
Halogen Free Product

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations