
# Product data sheet

Specifications



# Cable plate, Canalis KS, 100A to 1000A, for power meter, RAL9001

KSB63PMP

### Main

Range	Canalis
Product Name	KS
Product Or Component Type	Mounting plate
Range Compatibility	Canalis KS tap-off unit

# Complementary

Accessory / Separate Part Category	Tap-off unit accessory
Device Application	To install power meter equipment
Fixing Device Mounting	Into the tap-off unit
Mounting Support	Empty tap-off unit KSB100SV4 100 A Empty tap-off unit KSB100SV5 100 A
Standards	IEC 61439-6 IEC 60439-2
Body Material	Metal
Net Weight	1 kg
Quantity Per Set	Set of 1

# **Packing Units**

-	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.0 cm
Package 1 Width	22.5 cm
Package 1 Length	35.5 cm
Package 1 Weight	1.079 kg
Unit Type Of Package 2	BB1
Number Of Units In Package 2	12
Package 2 Height	30.0 cm
Package 2 Width	40.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	13.3 kg
Unit Type Of Package 3	P06
Number Of Units In Package 3	48

Package 3 Height	74.0 cm	
Package 3 Width	60.0 cm	
Package 3 Length	80.0 cm	
Package 3 Weight	60.2 kg	

# Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance



Eq

Rohs Exemption Information Yes

# **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations