

TeSys LE - enclosed DOL starter - 9 A - 115 V AC coil

LE1D09FE7

Discontinued on: Jan 11, 2021

! Discontinued

Main

| Range | TeSys | |
|---------------------------|---|--|
| Product Name | TeSys LE | |
| Device Short Name | LE1D | |
| Product Or Component Type | Enclosed DOL starter | |
| Device Application | Standard | |
| Utilisation Category | AC-3 | |
| Device Composition | Composition Thermal overload relay ordered separately Contactor | |
| Control Type | Push-button start green I Push-button stop/reset red O | |

Complementary

| Motor Power Kw | 4 kW at 380/400 V AC 50/60 Hz |
|--|---------------------------------|
| | 4 kW at 415 V AC 50/60 Hz |
| | 4 kW at 440 V AC 50/60 Hz |
| | 2.2 kW at 220/230 V AC 50/60 Hz |
| | 5.5 kW at 500 V AC 50/60 Hz |
| | 5.5 kW at 660/690 V AC 50/60 Hz |
| [Ith] Conventional Free Air Thermal Current | 9 A |
| [Uc] Control Circuit Voltage | 115 V AC 50/60 Hz |
| Cable Entry Number | 2 ISO20 top |
| | 2 ISO20 bottom |
| | 2 Pg 13 bottom |
| | 2 Pg 16 bottom |
| Width | 88 mm |
| Height | 166 mm |
| Depth | 128.5 mm |
| Net Weight | 0.92 kg |
| | |

Environment

| Material | Polycarbonate |
|---------------------------------------|------------------------------|
| Ip Degree Of Protection | IP65 conforming to IEC 60529 |
| Ik Degree Of Protection | IK07 conforming to IEC 60529 |
| Standards | IEC 60947-4-1 |
| Ambient Air Temperature For Operation | -540 °C |

Environmental Characteristic Standard environment

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|---------|
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 15.5 cm |
| Package 1 Width | 18 cm |
| Package 1 Length | 24.6 cm |
| Package 1 Weight | 814 g |

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

| ⊘ | Reach Free Of Svhc | |
|----------|----------------------------|-----|
| ⊘ | Toxic Heavy Metal Free | |
| ⊘ | Mercury Free | |
| ⊘ | Rohs Exemption Information | Yes |

Certifications & Standards

| Eu Rohs Directive | Compliant |
|-----------------------|---|
| | EU RoHS Declaration |
| China Rohs Regulation | China RoHS declaration |
| Weee | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |