Product data sheet

Specifications



() Discontinued

TeSys LE - enclosed DOL starter -40 A - 380 V AC coil - no pushbuttons

LE1D40AQ7A04

() Discontinued on: Jun 20, 2020

Main

Range	TeSys	
Product Name	TeSys LE	
Device Short Name	LE1D	
Product Or Component Type	Enclosed DOL starter	
Device Application	Standard	
Utilisation Category	AC-3	
Device Composition	e Composition Thermal overload relay ordered separately Contactor	
Control Type	Without	

Complementary

11 kW at 220/230 V AC 50/60 Hz 22 kW at 415 V AC 50/60 Hz 22 kW at 440 V AC 50/60 Hz 22 kW at 500 V AC 50/60 Hz 30 kW at 660/690 V AC 50/60 Hz		
18.5 kW at 380/400 V AC 50/60 Hz		
40 A		
380 V AC 50/60 Hz		
1 ISO32 top 3 1 ISO20 + 2 ISO32 bottom		
200 mm		
300 mm		
150 mm		
4.82 kg		

Environment

Material	Sheet steel	
Ip Degree Of Protection	Protection IP65 conforming to IEC 60529	
Ik Degree Of Protection	IK09 conforming to IEC 60529	
Standards	IEC 60947-4-1	
Ambient Air Temperature For Operation	-540 °C	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	30 cm
Package 1 Width	32 cm
Package 1 Length	41 cm
Package 1 Weight	6 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins