

TeSys LG - enclosed DOL reversing starter - 4...6.3 A - 400/415 V AC coil

LG8K06N710

! Discontinued on: Dec 30, 2019

(!) Discontinued

Main

Range	TeSys
Product Name	TeSys LG
Device Short Name	LG8K
Product Or Component Type	Enclosed DOL reversing starter
Device Application	Safety
Utilisation Category	AC-3
Device Composition	Reversing contactor Circuit-breaker
Motor Power Kw	3 kW at 440 V AC 50/60 Hz 1.1 kW at 220/230 V AC 50/60 Hz 2.2 kW at 400/415 V AC 50/60 Hz
Thermal Protection Adjustment Range	46.3 A
[Uc] Control Circuit Voltage	400/415 V AC 50/60 Hz
Control Type	Push-button stop black O Selector switch 2 positions start black I-II Mushroom head push-button emergency stop red

Complementary

Width	175 mm	
Height	165 mm	
Depth	146 mm	
Net Weight	1.64 kg	
Cable Entry Number	4 2 Pg 13 + 2 Pg 16 top 4 2 Pg 13 + 2 Pg 16 bottom	

Environment

Standards	IEC 60204-1 IEC 60947-4-1
Ip Degree Of Protection	IP55 conforming to IEC 60529 (for enclosure)
Ik Degree Of Protection	IK07 conforming to IEC 60529
Material	Polycarbonate
Environmental Characteristic	Standard environment

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	17.5 cm
Package 1 Width	24.4 cm
Package 1 Length	17.5 cm
Package 1 Weight	1.94 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins