Specifications



#### ① Discontinued

# current transformer module, ComPact NSX100/160/250, 100A rating, 4 poles

LV429458

() Discontinued on: Dec 29, 2023

#### Main

current transformer module
Current transformer
Control
ComPact ComPact NSX100 ComPact ComPact NSX160 ComPact ComPact NSX250 ComPact INS250 ComPact Compact INV100250
4P
100 A
100/5 A
1.6 VA
Class 4.5

# Complementary

Auxiliary Connection Terminal	Cable connector 2.5 mm <sup>2</sup>
-------------------------------	-------------------------------------

### Environment

Electrical Shock Protection Class	Class II
Ip Degree Of Protection	IP40 conforming to IEC 60529
Ik Degree Of Protection	IK04 conforming to IEC 62262

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	13.5 cm
Package 1 Width	14.5 cm
Package 1 Length	17.5 cm
Package 1 Weight	1.172 kg
Unit Type Of Package 2	\$03
Number Of Units In Package 2	4
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm

Package 2 Length	40.0 cm
Package 2 Weight	5.175 kg

# **Contractual warranty**

Warranty

18 months

#### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

#### Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
	Product out of China RoHS scope. Substance declaration for your information
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins