

Direct rotary handle, ComPact NSX 400/630, red handle/yellow front, **IP40**

LV432599

Main

Range Of Product	ComPact NSX400630
Product Or Component Type	Rotary handle
Accessory / Separate Part Type	Control accessories
Handle Colour	Red
Handle Front Plate Colour	Yellow
Rotary Handle Mounting Style	Direct

Complementary

Rotary Handle Padlocking	1 to 3 padlocks Padlock in OFF position
Rotary Handle Mounting Location	Front
Range Compatibility	ComPact ComPact NSX400 ComPact ComPact NSX630 PowerPact PowerPact Multistandard

TeSys TeSys GV6

Environment

Ip Degree Of Protection IP40

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	9.0 cm
Package 1 Width	15.0 cm
Package 1 Length	22.5 cm
Package 1 Weight	497.0 g
Unit Type Of Package 2	S04
Number Of Units In Package 2	16
Package 2 Height	30.0 cm
Package 2 Width	40.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	8.718 kg
Unit Type Of Package 3	PAL
Number Of Units In Package 3	192

Package 3 Height	120.0 cm	
Package 3 Width	80.0 cm	
Package 3 Length	192.0 cm	
Package 3 Weight	191.18 kg	

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information