

Product data sheet

Specifications



PLATINE COMPACT NSX 400-630 4P IEC/UL FOR 60 BUSBARS INTERAXIS

LV432624

Main

| | |
|---------------------------|-----------------------------|
| Range | Linergy |
| Product Name | BZ |
| Device Short Name | LA9Z |
| Product Or Component Type | Adaptors for busbar systems |
| Number Of Ways | 1 way |

Complementary

| | |
|-------------------------------|---|
| Range Compatibility | Prisma G Prisma P Prisma PH Spacial ComPact |
| Product Compatibility | NSX400...630 |
| Poles Description | 4P |
| Permissible Current | 200 A - busbar cross section: 12 x 5 mm 250 A - busbar cross section: 15 x 5 mm 320 A - busbar cross section: 20 x 5 mm 400 A - busbar cross section: 25 x 5 mm 450 A - busbar cross section: 30 x 5 mm 360 A - busbar cross section: 12 x 10 mm 520 A - busbar cross section: 20 x 10 mm 630 A - busbar cross section: 30 x 10 mm |
| [Ui] Rated Insulation Voltage | 690 V |
| Busbar Pitch | 60 mm |
| Width | 184 mm |
| Height | 284 mm |
| Depth | 63 mm |
| Colour | Anthracite grey |

Environment

| | |
|-------------------------|------------------------------|
| Ip Degree Of Protection | IP20 conforming to IEC 60529 |
|-------------------------|------------------------------|

Packing Units

| | |
|------------------------------|---------|
| Unit Type Of Package 1 | PCE |
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 9.0 cm |
| Package 1 Width | 20.0 cm |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|------------------------------|----------|
| Package 1 Length | 33.0 cm |
| Package 1 Weight | 2.905 kg |
| Unit Type Of Package 2 | S03 |
| Number Of Units In Package 2 | 3 |
| Package 2 Height | 30.0 cm |
| Package 2 Width | 30.0 cm |
| Package 2 Length | 40.0 cm |
| Package 2 Weight | 9.23 kg |

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

| | | |
|---|----------------------------|-----|
| ✓ | Reach Free Of Svhc | |
| ✓ | Toxic Heavy Metal Free | |
| ✓ | Mercury Free | |
| ✓ | Rohs Exemption Information | Yes |

Certifications & Standards

| | |
|--------------------------|---|
| Reach Regulation | REACH Declaration |
| Eu Rohs Directive | Compliant EU RoHS Declaration |
| China Rohs Regulation | China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope) |
| Environmental Disclosure | Product Environmental Profile |
| Weee | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |
| Circularity Profile | No need of specific recycling operations |