Product data sheet

Specifications

Unica - USB data connector - 1 module - aluminium

MGU3.429.30

⚠ **Discontinued on:** Dec 15, 2021

⚠ **Discontinued**

Main

Range	Unica
Product Or Component Type	USB connector
Connector Type	USB 2.0
Electrical Circuit Type	Data
Device Presentation	Mechanism
Colour Tint	Aluminium
Type Of Packing	Group

Complementary

Device Mounting	Flush
Socket Number	1
Fixing Mode	Clip-in
Number Of Modules	1 module
Surface Finish	Matt
Quantity Per Set	Set of 10
Connections - Terminals	Screw terminals
Clamping Connection Capacity	<= 1.5 mm² for stranded cable(s) <= 1.5 mm² for flexible cable(s) <= 1.5 mm² for rigid cable(s)
Wire Stripping Length	8 mm
Material	Thermoplastic ABS-UV stabilised: centre plate PC (polycarbonate) GF10 FR: casing
Height	45 mm
Width	22.5 mm
Depth	28.3 mm
Embedding Depth	19.7 mm
Net Weight	0.0141 kg

Environment

Ambient Air Temperature For Storage	-5…50 °C
Ambient Air Temperature For Operation	-5…40 °C

Standards	IEC 998-1
	IEC 998-2-1
Ip Degree Of Protection	IP21
Ik Degree Of Protection	IK04
Environmental Characteristic	Petrol
	Bleach
	Window-cleaning fluid
	Alcohol
	Acetone
	Oil
	UV resistant
	Liquid soap

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	4 cm
Package 1 Length	10 cm
Package 1 Weight	21 g

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ⟩

Guide to assess a product's sustainability ⟩

Eu Rohs Directive	Under investigation
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins