

Unica - data socket - 1 socket - HD15 - Female - aluminium

MGU3.432.30

Discontinued on: Jun 15, 2023

(!) Discontinued

Main

Range	Unica
Product Or Component Type	Video socket
Connector Type	VGA
Electrical Circuit Type	Video
Device Presentation	Mechanism
Colour Tint	Aluminium
Type Of Packing	Group

Complementary

Device Mounting	Flush
Socket Number	1
Fixing Mode	Clip-in
Number Of Modules	1 module
Surface Finish	Matt
Quantity Per Set	Set of 10
Material	Thermoplastic ABS-UV stabilised: centre plate
Height	45 mm
Width	22.5 mm
Depth	41.7 mm
Embedding Depth	25.7 mm
Net Weight	0.02 kg

Environment

Ambient Air Temperature For Storage	-550 °C
Ambient Air Temperature For Operation	-540 °C
Ip Degree Of Protection	IP21
Ik Degree Of Protection	IK04

Environmental Characteristic

Bleach UV resistant Alcohol Oil Acetone Window-cleaning fluid

Petrol Liquid soap

Packing Units

_	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	10.5 cm
Package 1 Length	11.5 cm
Package 1 Weight	59.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	8.7 cm
Package 2 Width	20.5 cm
Package 2 Length	22.5 cm
Package 2 Weight	699.0 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	50
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	3.963 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive	Under investigation
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins