

Unica Top - cover frame (fix. frame) - 2 gangs (H) - 2x6 m - matt nickel/ graph.

MGU49.426.239

Discontinued on: Dec 15, 2021

(!) Discontinued

Main

Range	Unica
Device Application	Mounting
Product Or Component Type	Cover frame
Aesthetic Name	Unica Top
Number Of Gangs	2 gangs
Installation Direction	Horizontal
Number Of Modules	2 x 6 modules
Fixing Mode	Screws
Colour Tint	Matt nickel
Side Color	Graphite

Complementary

Provided Equipment	Fixing frame
Material	ASA + PC: intermediate part LATER 4 G30V0 2307Y1 GRIS: fixing frame Zamak: cover frame
Standards	EN 60669-1
Width	195 mm
Height	175 mm
Depth	16 mm
Distance Between Centers	69 mm
Net Weight	0.344 kg

Environment

Ik Degree Of Protection	IK01
Ip Degree Of Protection	IP20
Environmental Characteristic	Acetone
	Alcohol
	Window-cleaning fluid
	Petrol
	Oil
	Liquid soap
	Bleach
	UV resistant

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1 cm
Package 1 Width	17.5 cm
Package 1 Length	19.5 cm
Package 1 Weight	337 g

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations