Product data sheet

Specifications



() Discontinued

Black mirror

UNICA - 13A, DP Switched Socket -

MGU5_016_BM

() Discontinued on: Dec 15, 2023

Main

Range Of Product	Unica
Device Application	Power supply
Product Or Component Type	Switched socket
Device Presentation	Mechanism with fixing frame
Outlet Poles Configuration	2P + E
Outlet Standard	European

Complementary

· · · · · · · · · · · · · · · · · ·	
Device Mounting	Flush
Mounting Support	Wall mounted
Socket Number	1
Pilot Light	Red neon indicator
Rated Current	13 A
[Ue] Rated Operational Voltage	250 V
Network Type	AC
Network Frequency	50 Hz
Load Type	Resistive
Number Of Modules	2 modules
Fixing Mode	By screw M3.5
Fixing Center	60.3 mm
Colour Tint	Black mirror
Contacts Material	Brass and phosphor bronze
Connections - Terminals	Pillar terminal
Terminal Identifier	L N Earth
Tightening Torque	0.4 N.m
Clamping Connection Capacity	2 x 4 mm ² for rigid cable(s) 2 x 4 mm ² for stranded cable(s) 2 x 4 mm ² for flexible cable(s) 3 x 2.5 mm ² for rigid cable(s) 3 x 2.5 mm ² for stranded cable(s) 3 x 2.5 mm ² for flexible cable(s)

Material	PC (polycarbonate): grid plate PP (polypropylene): base
Projecting Depth	8 mm
Quantity Per Set	Set of 10
Type Of Packing	Polybag
Embedding Depth	35 mm
Depth	15 mm
Width	81 mm
Height	83 mm
Net Weight	0.063 kg

Environment

Ambient Air Temperature For Operation	-540 °C
Relative Humidity	095 %
Operating Altitude	<= 2000 m
Ik Degree Of Protection	IK01
Ip Degree Of Protection	IP20
Standards	SASO 2203 BS 7671 BS 1363
Environmental Characteristic	Indoor use

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.3 cm
Package 1 Width	8.1 cm
Package 1 Length	1.5 cm
Package 1 Weight	63.0 g

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive

Under investigation