

Unica Top/Class - surface box w. fixing frame - 2 m - 9 holes - technical grey

MGU87.022.58

! Discontinued on: Dec 15, 2021

(!) Discontinued

Main

Range	Unica
Device Application	Mounting
Product Or Component Type	Mounting box
Aesthetic Name	Unica Top - Unica Class
Device Presentation	Assembly
Number Of Modules	2 modules
Number Of Gangs	1 gang
Fixing Mode	Pins

Complementary

Provided Equipment	Fixing frame
Device Mounting	Surface
Cable Entry	9 knock-outs
Fire Resistance	650 °C, extinction time <30 s
Material	ASA + PC: box PBT (polybutylene terephthalate): fixing frame
Standards	UNE 60670-1
Depth	28 mm
Width	89 mm
Height	79 mm
Net Weight	0.0592 kg

Environment

Ik Degree Of Protection	IK01
Ip Degree Of Protection	IP20
Environmental Characteristic	UV resistant Bleach Window-cleaning fluid Acetone Oil Liquid soap Petrol
	Alcohol

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	8 cm
Package 1 Length	8.5 cm
Package 1 Weight	56 q

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations