



Central plate for SCHUKO socketoutlet insert, shutter, aluminium, System M

MTN2330-0460

Main

Range	Merten
Aesthetic Name	M-Plan glass
	M-Star
	M-Smart
	M-Plan
	System M
	M-Arc
	M-Elegance
Product Or Component Type	Central plate
Outlet Poles Configuration	2P + E
Outlet Standard	German
Socket Additional Information	Shuttered
Colour	Aluminium

Complementary

Number Of Gangs	1 gang
Surface Treatment	Varnished
Fixing Mode	Plug-in
Device Mounting	Flush

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.7 cm
Package 1 Width	5.6 cm
Package 1 Length	5.6 cm
Package 1 Weight	19.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	18.0 cm
Package 2 Width	18.0 cm
Package 2 Length	27.0 cm
Package 2 Weight	316.0 g
Unit Type Of Package 3	CAR

Number Of Units In Package 3	40
Package 3 Height	18.5 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	1.64 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations