



# Central plate with hng.lid for SCHUKO socket-outlet insert, aluminium, System M

MTN2340-0460

Discontinued on: Jun 30, 2023



### Main

Range	Merten	
Aesthetic Name	M-Elegance	
	System M	
	M-Plan	
	M-Plan glass	
	M-Star	
	M-Smart	
	M-Arc	
Product Or Component Type	Central plate	
Outlet Poles Configuration	2P + E	
Outlet Standard	German	
Socket Additional Information	With hinged lid	
	Shuttered	

## Complementary

Number Of Gangs	1 gang
Surface Treatment	Varnished
Fixing Mode	Plug-in
Device Mounting	Flush

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.4 cm
Package 1 Width	5.6 cm
Package 1 Length	5.6 cm
Package 1 Weight	27.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	18.0 cm
Package 2 Width	18.0 cm
Package 2 Length	27.0 cm
Package 2 Weight	397.0 g
Unit Type Of Package 3	CAR

Number Of Units In Package 3	40
Package 3 Height	18.5 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	1.99 kg

# **Contractual warranty**

Warranty 18 months

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance

**У** То

Toxic Heavy Metal Free



Mercury Free



Rohs Exemption Information

Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations