

Switch, Merten inserts, mechanism, 3-pole 1-way, 16AX, screw terminals, IP20,

MTN311300

Main

Range Of Product	Merten inserts	
Product Or Component Type	Switch	
Device Presentation	Mechanism	

Complementary

Switch Function	3-pole 1-way
Actuator	Rocker
Device Mounting	Flush
Fixing Mode	By screws and claws
[Ue] Rated Operational Voltage	400 V
Rated Current	16 AX
Maximum Switching Current	16 A
Number Of Rocker	1
Connections - Terminals	Screw terminals
Material	Metal Plastic

Environment

Ip Degree Of Protection IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.800 cm
Package 1 Width	7.100 cm
Package 1 Length	7.200 cm
Package 1 Weight	78.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	7.800 cm
Package 2 Width	16.500 cm
Package 2 Length	27.100 cm

Package 2 Weight	872.000 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	50
Package 3 Height	19.700 cm
Package 3 Width	30.600 cm
Package 3 Length	40.800 cm
Package 3 Weight	4734.000 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc
 ✓ Toxic Heavy Metal Free
 ✓ Mercury Free
 ✓ Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations